


INITIAL HARDWARE DEVELOPMENT SCHEDULE



TRACKING SYSTEMS
BACKGROUND MATERIAL
FOR THE
COMMON LUNAR LANDER

HISTORICAL PERSPECTIVE

- THREE SPACE PROGRAMS HAVE ACCOMPLISHED PLANETARY LANDINGS
 - SURVEYOR
 - APOLLO
 - VIKING
- ALL THREE USED THE SAME BASIC TECHNIQUE
 - ALTIMETER FOR RANGE TO THE SURFACE
 - VELOCITY SENSING RADAR FOR MAJOR AXES VELOCITY MEASUREMENTS

ALL THREE SYSTEMS WERE SUCCESSFUL

SOLUTION OPTIONS

- OFF THE SHELF HARDWARE
 - SOME EXISTING ALTIMETERS MAY BE CLOSE
 - NO RADARS ARE KNOWN TO EXIST

- VENDOR SURVEY
 - WHAT APPROACH AND TECHNOLOGY THEY RECOMMEND
 - SYSTEMS THEY MIGHT HAVE THAT ARE APPLICABLE
 - ESTIMATES OF SIZE, WEIGHT, POWER, AND SCHEDULE

INDUSTRY CONTACTS

- INITIAL INDUSTRY CONTACTS
 - TELEDYNE RYAN
 - GENERAL DYNAMICS
 - HUGHES AIRCRAFT COMPANY
 - LORAL DEFENSE SYSTEMS
 - MOTOROLA
 - McDONNELL DOUGLAS
 - MARTIN MARIETTA

A PACKET OF INFO WAS MAILED TO SIX OF THE SEVEN COMPANIES.
TWO COMPANIES CHOSE NOT TO RESPOND.

- RESPONDING COMPANIES WERE
 - TELEDYNE RYAN
 - GENERAL DYNAMICS
 - HUGHES AIRCRAFT COMPANY
 - LORAL DEFENSE SYSTEMS

RESPONSE CONTENT

TWO COMPANIES RESPONDED WITH DESIGNS BASED ON EXPERIENCE WITH SURVEYOR AND VIKING

- HUGHES AIRCRAFT WITH AN UPDATE OF THE SURVEYOR SYSTEM
 - DESIGN UPGRADED WITH TODAY'S MIMIC TECHNOLOGY
 - CHALLENGES ARE ANTENNA AND COMPRESSED SCHEDULE
 - SCHEDULE ESTIMATE IS 2 YEARS AND 9 MONTHS FOR FIRST FLIGHT UNIT
 - NO COSTING
- TELEDYNE RYAN PREFERS THE BASIC VIKING APPROACH
 - RADAR WAS FOUR BEAM WHICH YIELDS REDUNDANCY
 - RADAR RECEIVER UPGRADE FROM 14 dB NF TO 5 dB NF WILL COVER 15Km REQUIREMENT
 - ASSUMING JANUARY 1992 START, DELIVERY IS JUNE 1, 1994
 - COST ESTIMATE IS \$1.5M/COPY FOR BOTH ALTIMETER AND RADAR
 - NON-RECURRING COST IS \$4M TOTAL FOR BOTH ALTIMETER AND RADAR
 - COST ESTIMATE BASED ON VIKING COSTS IN TODAY'S DOLLARS

RESPONSE CONTENT (CONTINUED)

TWO COMPANIES RESPONDED WITH DIFFERENT APPROACHES FROM SURVEYOR/VIKING

- GENERAL DYNAMICS RESPONDED WITH TECHNOLOGY FROM DOD APPLICATIONS
 - DATA IS PROPRIETARY
 - APPROACH INCLUDES SOME PIECES THAT EXIST TODAY AND SOME TO BE DEVELOPED
 - NONE WERE DEVELOPED FOR THIS APPLICATION
 - NONE HAVE BEEN SEASONED IN THE WORLD OF SPACE
- LORAL DEFENSE SYSTEMS RESPONDED WITH TECHNOLOGY BEING DEVELOPED BY THE ARMY
 - CONCEPT, THOUGH PROMISING, IS IMMATURE
 - DATA IS PROPRIETARY

PERSPECTIVE ON THE RESPONSES

- WHAT THE RESPONSES ARE NOT
 - REPRESENTATIVE OF A COMPLETE COMMERCIAL SURVEY
 - A STUDY EFFORT
 - A SYSTEM DESIGN
- WHAT THE RESPONSES ARE
 - A CURSORY LOOK REQUESTED ON 8/2 AND COMPLETED BY 8/12
 - BEST GUESSES
 - A COURTESY PARTICIPATION
- WHAT THE RESPONSES COST
 - ZERO

RATIONALE FOR SELECTION

- SHORT TIME SCHEDULE REQUIRES USE OF PROVEN TECHNIQUES
- THE SURVEYOR/VIKING/APOLLO APPROACHES WORKED
- NEW APPROACHES REQUIRE TECHNOLOGY INCORPORATION AND DEVELOPMENT TEST
- HISTORICAL DATA PROVIDE REALISM IN ESTIMATES FOR SIZE, WEIGHT, POWER, DELIVERY AND COST
- THE VIKING RADAR HAS A FOURTH SENSING BEAM WHICH OFFERS REDUNDANCY SINCE ONLY THREE ARE NEEDED